



Peter Kröner GmbH
Kirchstr. 1H
D-56412 Stahlhofen
Tel: +49(0)2602 5278
www.peter-kroener.de
sales@peter-kroener.de

Cutting wire
Fil découpe
Hilo termico

September 06

Schneidedraht Nickel-Chrom.... Titan....

90.20.05.00



Type 2000 Nickel-Chrom - kupferbeschichtet - copper coated - enrobe de cuivre - con recubrimiento de cobre

| Art.-Nr. Item | ø mm | ø inch | Meter | Ω Meter | Beschreibung Description | KG PE | PE | Euro PE |
|------------------|---------|-----------|--------|------------|-----------------------------|----------|------|------------|
| 9020.2000 | 0.20 | 0.008 | 3 100 | 16,8 | Type-2000-020-01 | 1,380 | 1 Kg | |
| 9020.3000 | 0.30 | 0.012 | 1 700 | 10,1 | Type-2000-030-01 | 1,380 | 1 Kg | |
| 9020.3500 | 0.35 | 0.014 | 1 300 | 7,5 | Type-2000-035-01 | 1,380 | 1 Kg | |
| 9020.4000 | 0.40 | 0.016 | 1 000 | 4,6 | Type-2000-040-01 | 1,380 | 1 Kg | |
| 9020.5000 | 0.50 | 0.020 | 600 | 3,4 | Type-2000-050-01 | 1,380 | 1 Kg | |
| 9020.6000 | 0.60 | 0.024 | 450 | 2,3 | Type-2000-060-01 | 1,380 | 1 Kg | |
| 9901.2500 | 0.20 | 0.008 | 15 500 | 16,8 | Type-2000-020-05 | 5,380 | 5 Kg | |
| 9901.2600 | 0.30 | 0.012 | 8 500 | 10,1 | Type-2000-030-05 | 5,380 | 5 Kg | |
| 9901.2700 | 0.35 | 0.014 | 6 500 | 7,5 | Type-2000-035-05 | 5,380 | 5 Kg | |
| 9901.2800 | 0.40 | 0.016 | 5 000 | 4,6 | Type-2000-040-05 | 5,380 | 5 Kg | |
| 9901.2900 | 0.50 | 0.020 | 3 000 | 3,4 | Type-2000-050-05 | 5,380 | 5 Kg | |
| 9901.3000 | 0.60 | 0.024 | 2 250 | 2,3 | Type-2000-060-05 | 5,380 | 5 Kg | |

Type 2001 Nickel-Chrom -Titan - kupferbeschichtet - copper coated - enrobe de cuivre - con recubrimiento de cobre

| Art.-Nr. Item | ø mm | ø inch | Meter | Ω Meter | Beschreibung Description | KG PE | PE | Euro PE |
|------------------|---------|-----------|--------|------------|-----------------------------|----------|------|------------|
| 9021.2000 | 0.25 | 0.010 | 3 100 | 12,5 | Type-2001-025-01 | 1,380 | 1 Kg | |
| 9021.3000 | 0.30 | 0.012 | 1 700 | 10,5 | Type-2001-030-01 | 1,380 | 1 Kg | |
| 9021.4000 | 0.40 | 0.016 | 1 000 | 8,0 | Type-2001-040-01 | 1,380 | 1 Kg | |
| 9021.5000 | 0.50 | 0.020 | 600 | 5,9 | Type-2001-050-01 | 1,380 | 1 Kg | |
| 9021.6000 | 0.60 | 0.024 | 450 | 3,6 | Type-2001-060-01 | 1,380 | 1 Kg | |
| 9901.3700 | 0.25 | 0.010 | 15 500 | 12,5 | Type-2001-025-05 | 6,750 | 5 Kg | |
| 9901.3800 | 0.30 | 0.012 | 8 500 | 10,5 | Type-2001-030-05 | 6,750 | 5 Kg | |
| 9901.3900 | 0.40 | 0.016 | 5 000 | 8,0 | Type-2001-040-05 | 6,750 | 5 Kg | |
| 9901.4000 | 0.50 | 0.020 | 3 000 | 5,9 | Type-2001-050-05 | 6,750 | 5 Kg | |
| 9901.4100 | 0.60 | 0.024 | 2 250 | 3,6 | Type-2001-060-05 | 6,750 | 5 Kg | |

andere Ausführungen auf Anfrage
autre types sur demande

other types upon request
otro tipos a solicitud

Nicht alles aus Lagerbeständen lieferbar, Lieferzeit auf Anfrage
Pas de stock pour certains produits, délais de livraison sur demande

Not all in stock, delivery time upon request
No todo del inventario disponible, plazo de entrega a demanda



Peter Kröner GmbH
Kirchstraße 1H
D-56412 Stahlfhofen
Tel: +49(0)2602 52 78
www.peter-kroener.de
sales@peter-kroener.de

Cutting wire
Fil découpe
Hilo termico

September 2006

Schneidedraht ... Nickel-Chrom... Nickel 80...

90.20.10.00



Type 2010 Nickel-Chrom - blank - shining - luisant - luisant

| Art.-Nr. Item | ø mm | ø inch | Meter | Ω Meter | Beschreibung Description | KG PE | PE |
|------------------|---------|-----------|--------|------------|-----------------------------|----------|------|
| 9902.0500 | 0.20 | 0.008 | 3 100 | 16,8 | Type-2010-020-01 | 1,380 | 1 Kg |
| 9902.0600 | 0.30 | 0.012 | 1 700 | 10,1 | Type-2010-030-01 | 1,380 | 1 Kg |
| 9902.0700 | 0.35 | 0.014 | 1 300 | 7,5 | Type-2010-035-01 | 1,380 | 1 Kg |
| 9902.0800 | 0.40 | 0.016 | 1 000 | 4,6 | Type-2010-040-01 | 1,380 | 1 Kg |
| 9902.0900 | 0.50 | 0.020 | 600 | 3,4 | Type-2010-050-01 | 1,380 | 1 Kg |
| 9902.1000 | 0.60 | 0.024 | 450 | 2,3 | Type-2010-060-01 | 1,380 | 1 Kg |
| 9020.2001 | 0.70 | 0.028 | 330 | | Type-2010-070-01 | 1,050 | 1 Kg |
| 9020.2002 | 0.80 | 0.032 | 250 | | Type-2010-080-01 | 1,050 | 1 Kg |
| 9020.2003 | 0.90 | 0.036 | 200 | | Type-2010-090-01 | 1,050 | 1 Kg |
| 9020.2004 | 1.00 | 0.040 | 160 | | Type-2010-100-01 | 1,050 | 1 Kg |
| 9020.2005 | 1.25 | 0.050 | 105 | | Type-2010-125-01 | 1,050 | 1 Kg |
| 9020.2006 | 1.50 | 0.060 | 72 | | Type-2010-150-01 | 1,050 | 1 Kg |
| 9020.2007 | 2.00 | 0.080 | 40 | | Type-2010-200-01 | 1,050 | 1 Kg |
| 9902.1100 | 0.20 | 0.008 | 15 500 | 16,8 | Type-2010-020-05 | 5,380 | 5 Kg |
| 9902.1200 | 0.30 | 0.012 | 8 500 | 10,1 | Type-2010-030-05 | 5,380 | 5 Kg |
| 9902.1300 | 0.35 | 0.014 | 6 500 | 7,5 | Type-2010-035-05 | 5,380 | 5 Kg |
| 9902.1400 | 0.40 | 0.016 | 5 000 | 4,6 | Type-2010-040-05 | 5,380 | 5 Kg |
| 9902.1500 | 0.50 | 0.020 | 3 000 | 3,4 | Type-2010-050-05 | 5,380 | 5 Kg |
| 9902.1600 | 0.60 | 0.024 | 2 250 | 2,3 | Type-2010-060-05 | 5,380 | 5 Kg |
| 9020.2008 | 0.70 | 0.028 | 1 650 | | Type-2010-070-05 | 5,100 | 5 Kg |
| 9020.2009 | 0.80 | 0.032 | 1 250 | | Type-2010-080-05 | 5,100 | 5 Kg |
| 9020.2010 | 0.90 | 0.036 | 1 000 | | Type-2010-090-05 | 5,100 | 5 Kg |
| 9020.2011 | 1.00 | 0.040 | 800 | | Type-2010-100-05 | 5,100 | 5 Kg |
| 9020.2012 | 1.25 | 0.050 | 525 | | Type-2010-125-05 | 5,100 | 5 Kg |
| 9020.2013 | 1.50 | 0.060 | 360 | | Type-2010-150-05 | 5,100 | 5 Kg |
| 9020.2014 | 2.00 | 0.080 | 200 | | Type-2010-200-05 | 5,100 | 5 Kg |

andere Ausführungen auf Anfrage
autres types sur demande

other types upon request
otro tipos a solicitud

Nicht alles aus Lagerbeständen lieferbar, Lieferzeit auf Anfrage

Not all in stock, delivery time upon request

Pas de stock pour certains produits, délais de livraison sur demande

No todo del inventario disponible, plazo de entrega a demanda